




FOR PCR/LTR TBM



Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	14" ~ 20"	320 ~ 380




Turn Up Bladder	Specification	
	Size	Width
	12" ~ 17"	210
15" ~ 20"	235	




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	13" ~ 22"	280 ~ 340


FOR PCR/LTR TBM



Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	14" ~ 20"	320 ~ 380




Turn Up Bladder	Specification	
	Size	Width
	14" ~ 20"	355




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	14" ~ 20"	310 ~ 360

FOR PCR/LTR TBM




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	12" ~ 17"	220 ~ 240




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	13" ~ 17"	200 ~ 260


FOR PCR/LTR TBM



Push Up Bladder	Specification	
	Size	Width(Min ~ Max)
	13" ~ 17"	180 ~ 230




Shaping Drum Sleeve	Specification	
	Size	Width(Min ~ Max)
	13" ~ 20"	88 ~ 128




Shaping Drum Sleeve	Specification	
	Size	Width(Min ~ Max)
	12" ~ 20"	57 ~ 62
15" ~ 18"	68 ~ 75	

FOR PCR/LTR TBM



FOR TBR TBM




Shaping Drum Sleeve	Specification	
	Size	Width
	14" ~ 24"	102



Shaping Drum Sleeve	Specification	
	Size	Width (Min ~ Max)
	15" ~ 20"	83 ~ 93




Turn Up Bladder	Specification	
	Size	Width
	15" ~ 24.5"	730




Turn Up Bladder	Specification	
	Size	Width (Min ~ Max)
	15" ~ 24.5"	420 ~ 730

FOR TBR TBM




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	15" ~ 24.5"	600 ~ 860




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	16" ~ 22.5"	350 ~ 450

FOR TBR TBM




Turn Up Bladder	Specification	
	Size	Width
	20" ~ 24"	420




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	16.5" ~ 22.5"	340 ~ 370

FOR TBR TBM




Push Up Bladder	Specification	
	Size	Width(Min ~ Max)
	15" ~ 24.5"	400 ~ 600




Shaping Drum Sleeve	Specification	
	Size	Width
	16" ~ 24.5"	170

FOR TBR TBM




Shaping Drum Sleeve	Specification	
	Size	Width
	16" ~ 24.5"	110




Carcass Drum Sleeve	Specification	
	Size	Width(Min ~ Max)
	16" ~ 24.5"	970 ~ 1700

FOR OTR TBM




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	22" ~ 39"	850 ~ 1300


FOR OTR TBM



Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	25" ~ 35"	500 ~ 760




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	45" ~ 63"	960 ~ 1200




Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	16" ~ 63"	350 ~ 1050

FOR OTR TBM




Push Up Bladder	Specification	
	Size	Width(Min ~ Max)
	25" ~ 49"	650 ~ 1050




Shaping Drum Bladder	Specification	
	Size	Width(Min ~ Max)
	20" ~ 51"	170 ~ 210

FOR OTR TBM



Turn Up Bladder	Specification	
	Size	Width(Min ~ Max)
	25" ~ 35"	585 ~ 800



Shaping Drum Sleeve	Specification	
	Size	Width(Min ~ Max)
	25" ~ 35"	90 ~ 160